



HANCOCK

CLASSICS™



HANCOCK
LUMBER™



MATHEWS
BROTHERS



Table of Contents

<i>Welcome to Hancock Classics</i>	5
<i>Double Hung</i>	7
<i>Casement</i>	9
<i>Awning</i>	11
<i>Horizontal Slider</i>	12
<i>Shapes</i>	
<i>Geometrics</i>	13
<i>Radius</i>	14
<i>Bay Windows</i>	15
<i>Bow Windows</i>	16
<i>Patio Doors</i>	17
<i>Finish Options</i>	19
<i>Divided Lite Options</i>	20
<i>Hardware Finishes</i>	21
<i>Exterior Casing Options</i>	22
<i>Standard Sizes</i>	23

Hancock Lumber and Mathews Brothers—two of Maine's oldest manufacturers—are proud to partner and bring our loyal builders and homeowners our Hancock Classics premium and proprietary window and door product lines.





Introduction

Hancock Lumber

Being in the lumber business since 1848 says more about Hancock Lumber’s commitment to the future than it does about our past. Today, we are a seventh-generation, family-owned integrated forest products company that is passionate about our people-first and values driven culture. Operating high-efficiency white pine sawmills, a network of lumberyards, truss and wall panel manufacturing facilities, full-service kitchen design showrooms, and a robust e-commerce shopping + online account management platform, Team Hancock is led by over 730 employees. Leadership is encouraged at every position, and we strive to create a workplace where employees feel empowered, respected, and listened to—honoring our mission to enhance the lives of the people who work at our company, and all those connected to us. To learn more, please visit www.HancockLumber.com.

Mathews Brothers

Mathews Brothers Company, founded in 1854, is America’s Oldest Window Manufacturer. Together, these two Maine-based companies have been in business for over 350 years, employing Maine people and manufacturing Maine-made products, all with a commitment to quality and service which will remain for generations to come.





Double Hung



Classic and Sturdy

Traditional, classic, durable – double-hungs give you all of that plus energy efficiency and peace of mind. Top and bottom sash operate smoothly allowing you to control air flow, and they both tilt-in for easy cleaning and care. Grilles can be added to further enhance the traditional look of your home.



Standard Features

1. ¾" insulating glass with Duralite® warm-edge technology, Low-E glass, and Argon gas fill.
2. Integral nailing fin [new construction only] provides air and water seal around frame.
3. Integral ¾" j-channel speeds installation.
4. Fusion-welded frame and sash for added strength.
5. Constant-force balance system ensures easy sash operation.
6. Extruded white interior and exterior frame and sash with color-matched hardware.
7. Pre-sloped sills for water runoff.
8. Non-corrosive hardware includes a lifetime of trouble-free performance, no matter what the environment.
9. Cam-action lock action draws sashes closer for a tighter positive lock.
10. Integral interlocking meeting rail provides additional security.






Casement

Beauty and Utility

With clean, contemporary architectural lines, casement windows offer 100% opening for maximum ventilation. By extending beyond the plane of the wall, casements catch passing breezes and channel them into the home. Casements and awnings are our most energy-efficient operating unit, featuring 3/4" insulating glass and a single lever multi-point locking system that keeps the sash tightly sealed in multiple locations.



Standard Features

1. 3/4" insulating glass with Duralite® warm-edge technology, Low-E glass, and Argon gas fill.
2. Integral nailing fin [new construction only].
3. Available with or without 3/4" j-channel.
4. Fusion-welded frame for added strength and durability.
5. Extruded white interior and exterior color with color matched hardware.
6. Casement sash opens completely, so windows can be cleaned easily from the inside.
7. All components are corrosion resistant, providing years of trouble-free performance.
8. Multi-point locking system for the utmost security.
9. Three layers of weather-stripping ensure effective barrier to air and water penetration.
10. Top rated hardware system allows even the largest casements to be effortlessly and smoothly operated.



Awning

Versatile Ventilation

An awning window is hinged at the top and opens out from the bottom allowing in fresh air, while keeping out the rain. Use alone or in combination with casement, picture, or other awnings.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite[®] warm-edge technology, Low-E glass, and argon gas fill.
2. Integral nailing fin [new construction only].
3. Integral $\frac{3}{4}$ " j-channel.
4. Fusion-welded frame and sash for added strength.
5. Extruded white interior and exterior color with color matched hardware.
6. Two sets of nylon glides evenly disperse the weight of the sash.
7. Glides travel on integral track system allowing for effortless fingertip operation.
8. Independent weep chambers on the frame ensure effective water runoff.

Horizontal Slider

Oriented Design

Horizontal sliders are the best value in our line of new construction or replacement products. Because they don't open outward, our easy-glide sliders are recommended for use next to high traffic areas, such as over a deck or walkway.



Standard Features

1. $\frac{3}{4}$ " insulating glass with Duralite[®] warm-edge technology Low-E glass and argon gas fill.
2. Integral nailing fin [new construction only].
3. Integral $\frac{3}{4}$ " j-channel.
4. Fusion-welded frame and sash for added strength.
5. Extruded white interior and exterior color with color matched hardware.
6. Two sets of nylon glides evenly disperse the weight of the sash.
7. Glides travel on integral track system allowing for effortless fingertip operation.
8. Independent weep chambers on frame ensure effective water runoff.
9. With dual sliders, both sashes lift out for easy cleaning
10. Available in two-lite (left, right, or dual venting) and three-lite configurations [$\frac{1}{4}$ - $\frac{1}{2}$ - $\frac{1}{4}$ and $\frac{1}{3}$ - $\frac{1}{3}$ - $\frac{1}{3}$].



Shapes—Geometrics

Precision of Accented Beauty

Make a bold statement with our geometric units, crafted to bring unique character and dimension to any space. Featuring crisp angles and clean lines, these windows are available in a variety of shapes, including triangles and trapezoids.

Whether used as standalone architectural accents or combined with other windows for a custom design, our geometric units provide striking visual appeal while allowing natural light to enhance your home's aesthetic. Built for durability and energy efficiency, they offer both style and performance tailored to your vision.



Standard Features

1. ¾" insulating glass with Duralite® warm-edge technology.
2. Low-E glass and argon gas fill.
3. Integral nailing fin [new construction only].
4. Integral ¾" j-channel.
5. Extruded white interior and exterior color.
6. Independent weep chambers on frame ensure effective water runoff.

Geometric Shapes

- | | |
|-------------------|------------------|
| 1. Trapezoid | 5. Octagon |
| 2. Triangle | 6. Hexagon |
| 3. Pentagon | 7. Diamond |
| 4. Clipped Corner | 8. Parallelogram |

Shapes—Radius

Elegant and Bold

Enhance your home's architectural elegance with radius-shaped units. Designed to add a touch of sophistication and style, these curved window designs create stunning focal points and soften harsh lines, while maximizing natural light.

Available in a variety of shapes, our radius units seamlessly complement both traditional and contemporary spaces. Built with premium materials and precision craftsmanship, they provide exceptional durability and energy efficiency, ensuring beauty and performance that lasts.



Standard Features

1. ¾" insulating glass with Duralite® warm-edge technology.
2. Low-E glass and argon gas fill.
3. Integral nailing fin [new construction only].
4. Integral ¾" j-channel.
5. Extruded white interior and exterior color.
6. Independent weep chambers on the frame ensure effective water runoff.

Radius Shapes

- | | |
|------------------|------------------|
| 1. Half-Round | 5. Extended Arch |
| 2. Quarter-Round | 6. Gothic |
| 3. Oval | 7. Elliptical |
| 4. Circle | 8. Eyebrow |



Bay Windows


Classic and Sturdy

We start with the foundation. The framework has been cut to exact specifications using precision CNC technology. No matter what you choose, every detail in the design has been considered, to ensure years of trouble-free performance and beauty.




Standard Features

1. 1/4" furniture grade head and seat boards anchored together by solid steel rods.
2. 5" thick seat board boasting a 3" thick insulating panel with an insulating value of R-21.
3. 1/4" furniture-grade, hardwood veneer plywood interior.
4. Available in a 30° or 45° version.



CUSTOMIZATION OPTIONS

Low Voltage, Recessed Lighting



Enhance the beauty of bay or bow windows through direct lighting. Illuminate plants, accent items and the window frame and seat. Available with one, two, or three recessed lights.



Roof System

Pre-assembled wood and copper roof systems dramatically reduce roof construction and installation time.




Solid Surface Seats



All styles are available with a 1/4" solid-surface seat. Durable, scratch-resistant, and impervious to water. Perfect for plants!

Surface Seat Color Options



Bow Windows


A New Dimension

Windows don't have to be two dimensional. Projecting units dramatically impact the look and feel of a home by adding depth and dimension to the interior and a distinctive accent to the exterior. Like all of our products, our bow windows are made from the highest quality materials by our skilled craftsmen.



Standard Features

1. 1/4" furniture grade head and seat boards anchored together by solid steel rods.
2. 5" thick seat board boasting a 3" thick insulating panel with an insulating value of R-21.
3. 1/4" furniture grade, hardwood veneer plywood interior.
4. Available in three-, four-, and five-lite versions.




CUSTOMIZATION OPTIONS



All customization options available for our bay windows are also available for bow windows.



Surface Seat Color Options



Patio Doors

Classic and Sturdy


The insulated glazing in our vinyl sliding patio door is constructed using warm-edge technology, as well as Low-E tempered safety glass with argon gas fill, so it holds up to the weather while allowing you to experience the beauty of the great outdoors.

Constructed from low-maintenance vinyl, the frame and panels are welded at the corners during assembly to provide a product superior in strength, performance, and appearance. The sliding door operates smoothly on heavy duty stainless steel tandem rollers.

Hancock Classics vinyl sliding patio doors are available as two-, three-, or four-panel, in standard and custom sizes; with either left or right operating panel. Available with or without grilles.


Standard Features

1. 7/8" Tempered, Low-E clear insulating glass with argon gas fill.
2. Extruded white interior and exterior color, with matching handle sets.
3. Integral nailing flange and integral j-channel.
4. 4 9/16" jamb.
5. Fusion-welded joints.
6. Heavy-duty extruded insect screen.



Finish Options

Exterior Choose from a myriad of options to bring color to the exterior of any Hancock Classics window.



Interior Choose the right blend of interior accent with one of our interior finishes.



ENHANCED HISTORIC LOOK WITH PEDIMENT HEADS

Adding a pediment head to the top of your Hancock Classics windows adds historic beauty to the look of your project.

Pediment heads can be added to any Hancock Classics unit and can be painted to color match the unit it installs onto.



Exterior Casing Options

Factory Applied, Architecturally Correct

Architectural and historic details were of the utmost importance in the design of the Hancock Classics collection of doors and windows. That is why every window and door is built with a traditional blind stop that accommodates the flush mounting of exterior casing options. Hancock Classics factory applied casing options not only save time but also create a visual aesthetic that cannot be reproduced in the field. All of the Hancock Classics exterior casing options are full and accurate in dimension as there were no sacrifices in material weight and depth. Mathews Brothers doesn't cut corners—we add value to every corner with our exterior casing process.

Flat Casing

Crafted in the image of a traditional $\frac{3}{4}$ x 4 board, Hancock Classics Flat Casing is dimensioned full and square at a nominal size of 1" x 3½" just like the wood boards that come from a mill.



Banded Casing

For many years in New England, craftsmen have been casing windows with a traditional 1 x 5 board inclusive of decorative 1" band molding applied to the perimeter. Hancock Classics Banded Casing is dimensioned full and square at a nominal size of $\frac{3}{4}$ x 4½" with an actual band molding applied to create the proper dimension and shadow lines of this classic window treatment.



Brick Mould/ Staff Bead Casing

Staff bead casing is dimensioned the same as commonplace brickmould but is shaped with the architectural lines of the exterior casing that is often an accent item on a historical brick building or classic brownstone.



Northern Casing

Northern casing is very similar to brickmould casing, however it includes a removable install channel. After removing the moulding cover, the face of the window can be screwed in directly, and then replaced. This adds versatility and efficiency to the installation process.



HISTORIC STILL NOSE

The traditional sloped sill of the Hancock Classics double hung window is accentuated by a proper sill nose. It creates an extended accent that protrudes out from the sill and extends past the frame, creating historic sill horns for the exterior casings to merge with. The Historic Sill Nose has a heavy face dimension that recalls window structure from the 19th century or simply works today as a bold feature.



STANDARD STILL NOSE

The traditional sloped sill of the Hancock Classics double hung window is accentuated by a proper sill nose. It creates an extended accent that protrudes out from the sill and extends past the frame, creating historic sill horns for the exterior casings to merge with. The Standard Sill Nose has a minimized face dimension that mimics window structure from the 20th century. It also works nicely in contemporary uses, when clean lines are desired.






Divided Lite Options

Multiple Options for Multiple Lites

Mathews Brothers has been creating windows with divided lites for over 170 years. The application of divided lites is basically an attempt to copy the aesthetic provided by the millworkers and glazers that crafted the original Mathews Brothers windows in the 1800s. Mathews Brothers created the standard and continues to offer the best fit and finish and the most historically accurate divided lites available today.

Grilles Between the Glass (GBG) bring a value engineered option while providing an ease of cleaning that many homeowners desire. Simulated Divided Lites (SDL) provide a historic and architecturally accurate simulation of the original muntin bars of the past while maintaining the thermal performance of modern-day glazing options.



Hardware Finishes


Double Hung Sash Lock



Casement and Awning Handle




Casement and Awning Lock



Patio Door Handle

Patio door handles work in conjunction with the multi-point lock installed in all Hancock Classics patio doors. There is a center-mounted lever on the interior of the handle for lock operation. Exterior key operation is available.

























































































































































































































































































































Standard Sizes

SINGLE HUNG

Rough Opening	20"	22"	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	48"
Unit Size	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	39 1/2"	41 1/2"	43 1/2"	47 1/2"
<p>SINGLE HUNG</p>	SH2036	SH2236	SH2436	SH2636	SH2836	SH3036	SH3236	SH3436	SH3636	SH3836	SH4036	SH4236	SH4436	SH4836
	SH2042	SH2242	SH2442	SH2642	SH2842	SH3042	SH3242	SH3442	SH3642	SH3842	SH4042	SH4242	SH4442	SH4842
	SH2048	SH2248	SH2448	SH2648	SH2848	SH3048	SH3248	SH3448	SH3648	SH3848	SH4048	SH4248	SH4448	SH4848
	SH2054	SH2254	SH2454	SH2654	SH2854	SH3054	SH3254	SH3454	SH3654	SH3854	SH4054	SH4254	SH4454	SH4854
	SH2057	SH2257	SH2457	SH2657	SH2857	SH3057	SH3257	SH3457	SH3657	SH3857	SH4057	SH4257	SH4457	SH4857
	SH2060	SH2260	SH2460	SH2660	SH2860	SH3060	SH3260	SH3460	SH3660	SH3860	SH4060	SH4260	SH4460	SH4860
	SH2066	SH2266	SH2466	SH2666	SH2866	SH3066	SH3266	SH3466	SH3666	SH3866	SH4066	SH4266	SH4466	SH4866
	SH2072	SH2272	SH2472	SH2672	SH2872	SH3072	SH3272	SH3472	SH3672	SH3872	SH4072	SH4272	SH4472	SH4872
	SH2077	SH2277	SH2477	SH2677	SH2877	SH3077	SH3277	SH3477	SH3677	SH3877	SH4077	SH4277	SH4477	SH4877
	SH2084	SH2284	SH2484	SH2684	SH2884	SH3084	SH3284	SH3484	SH3684	SH3884	SH4084	SH4284	SH4484	SH4884
SH2090	SH2290	SH2490	SH2690	SH2890	SH3090	SH3290	SH3490	SH3690	SH3890	SH4090	SH4290	SH4490	SH4890	
SH2096	SH2296	SH2496	SH2696	SH2896	SH3096	SH3296	SH3496	SH3696	SH3896	SH4096	SH4296	SH4496	SH4896	
SH2102	SH2302	SH2502	SH2702	SH2902	SH3102	SH3302	SH3502	SH3702	SH3902	SH4102	SH4302	SH4502	SH4902	
SH2107	SH2307	SH2507	SH2707	SH2907	SH3107	SH3307	SH3507	SH3707	SH3907	SH4107	SH4307	SH4507	SH4907	
SH2114	SH2314	SH2514	SH2714	SH2914	SH3114	SH3314	SH3514	SH3714	SH3914	SH4114	SH4314	SH4514	SH4914	
SH2120	SH2320	SH2520	SH2720	SH2920	SH3120	SH3320	SH3520	SH3720	SH3920	SH4120	SH4320	SH4520	SH4920	
SH2126	SH2326	SH2526	SH2726	SH2926	SH3126	SH3326	SH3526	SH3726	SH3926	SH4126	SH4326	SH4526	SH4926	
SH2132	SH2332	SH2532	SH2732	SH2932	SH3132	SH3332	SH3532	SH3732	SH3932	SH4132	SH4332	SH4532	SH4932	
SH2138	SH2338	SH2538	SH2738	SH2938	SH3138	SH3338	SH3538	SH3738	SH3938	SH4138	SH4338	SH4538	SH4938	
SH2144	SH2344	SH2544	SH2744	SH2944	SH3144	SH3344	SH3544	SH3744	SH3944	SH4144	SH4344	SH4544	SH4944	
SH2150	SH2350	SH2550	SH2750	SH2950	SH3150	SH3350	SH3550	SH3750	SH3950	SH4150	SH4350	SH4550	SH4950	
SH2156	SH2356	SH2556	SH2756	SH2956	SH3156	SH3356	SH3556	SH3756	SH3956	SH4156	SH4356	SH4556	SH4956	
SH2162	SH2362	SH2562	SH2762	SH2962	SH3162	SH3362	SH3562	SH3762	SH3962	SH4162	SH4362	SH4562	SH4962	
SH2168	SH2368	SH2568	SH2768	SH2968	SH3168	SH3368	SH3568	SH3768	SH3968	SH4168	SH4368	SH4568	SH4968	
SH2174	SH2374	SH2574	SH2774	SH2974	SH3174	SH3374	SH3574	SH3774	SH3974	SH4174	SH4374	SH4574	SH4974	
SH2180	SH2380	SH2580	SH2780	SH2980	SH3180	SH3380	SH3580	SH3780	SH3980	SH4180	SH4380	SH4580	SH4980	
SH2186	SH2386	SH2586	SH2786	SH2986	SH3186	SH3386	SH3586	SH3786	SH3986	SH4186	SH4386	SH4586	SH4986	
SH2192	SH2392	SH2592	SH2792	SH2992	SH3192	SH3392	SH3592	SH3792	SH3992	SH4192	SH4392	SH4592	SH4992	
SH2198	SH2398	SH2598	SH2798	SH2998	SH3198	SH3398	SH3598	SH3798	SH3998	SH4198	SH4398	SH4598	SH4998	
SH2204	SH2404	SH2604	SH2804	SH3004	SH3204	SH3404	SH3604	SH3804	SH4004	SH4204	SH4404	SH4604	SH5004	
SH2210	SH2410	SH2610	SH2810	SH3010	SH3210	SH3410	SH3610	SH3810	SH4010	SH4210	SH4410	SH4610	SH5010	
SH2216	SH2416	SH2616	SH2816	SH3016	SH3216	SH3416	SH3616	SH3816	SH4016	SH4216	SH4416	SH4616	SH5016	
SH2222	SH2422	SH2622	SH2822	SH3022	SH3222	SH3422	SH3622	SH3822	SH4022	SH4222	SH4422	SH4622	SH5022	
SH2228	SH2428	SH2628	SH2828	SH3028	SH3228	SH3428	SH3628	SH3828	SH4028	SH4228	SH4428	SH4628	SH5028	
SH2234	SH2434	SH2634	SH2834	SH3034	SH3234	SH3434	SH3634	SH3834	SH4034	SH4234	SH4434	SH4634	SH5034	
SH2240	SH2440	SH2640	SH2840	SH3040	SH3240	SH3440	SH3640	SH3840	SH4040	SH4240	SH4440	SH4640	SH5040	
SH2246	SH2446	SH2646	SH2846	SH3046	SH3246	SH3446	SH3646	SH3846	SH4046	SH4246	SH4446	SH4646	SH5046	
SH2252	SH2452	SH2652	SH2852	SH3052	SH3252	SH3452	SH3652	SH3852	SH4052	SH4252	SH4452	SH4652	SH5052	
SH2258	SH2458	SH2658	SH2858	SH3058	SH3258	SH3458	SH3658	SH3858	SH4058	SH4258	SH4458	SH4658	SH5058	
SH2264	SH2464	SH2664	SH2864	SH3064	SH3264	SH3464	SH3664	SH3864	SH4064	SH4264	SH4464	SH4664	SH5064	
SH2270	SH2470	SH2670	SH2870	SH3070	SH3270	SH3470	SH3670	SH3870	SH4070	SH4270	SH4470	SH4670	SH5070	
SH2276	SH2476	SH2676	SH2876	SH3076	SH3276	SH3476	SH3676	SH3876	SH4076	SH4276	SH4476	SH4676	SH5076	
SH2282	SH2482	SH2682	SH2882	SH3082	SH3282	SH3482	SH3682	SH3882	SH4082	SH4282	SH4482	SH4682	SH5082	
SH2288	SH2488	SH2688	SH2888	SH3088	SH3288	SH3488	SH3688	SH3888	SH4088	SH4288	SH4488	SH4688	SH5088	
SH2294	SH2494	SH2694	SH2894	SH3094	SH3294	SH3494	SH3694	SH3894	SH4094	SH4294	SH4494	SH4694	SH5094	
SH2300	SH2500	SH2700	SH2900	SH3100	SH3300	SH3500	SH3700	SH3900	SH4100	SH4300	SH4500	SH4700	SH5100	
SH2306	SH2506	SH2706	SH2906	SH3106	SH3306	SH3506	SH3706	SH3906	SH4106	SH4306	SH4506	SH4706	SH5106	
SH2312	SH2512	SH2712	SH2912	SH3112	SH3312	SH3512	SH3712	SH3912	SH4112	SH4312	SH4512	SH4712	SH5112	
SH2318	SH2518	SH2718	SH2918	SH3118	SH3318	SH3518	SH3718	SH3918	SH4118	SH4318	SH4518	SH4718	SH5118	
SH2324	SH2524	SH2724	SH2924	SH3124	SH3324	SH3524	SH3724	SH3924	SH4124	SH4324	SH4524	SH4724	SH5124	
SH2330	SH2530	SH2730	SH2930	SH3130	SH3330	SH3530	SH3730	SH3930	SH4130	SH4330	SH4530	SH4730	SH5130	
SH2336	SH2536	SH2736	SH2936	SH3136	SH3336	SH3536	SH3736	SH3936	SH4136	SH4336	SH4536	SH4736	SH5136	
SH2342	SH2542	SH2742	SH2942	SH3142	SH3342	SH3542	SH3742	SH3942	SH4142	SH4342	SH4542	SH4742	SH5142	
SH2348	SH2548	SH2748	SH2948	SH3148	SH3348	SH3548	SH3748	SH3948	SH4148	SH4348	SH4548	SH4748	SH5148	
SH2354	SH2554	SH2754	SH2954	SH3154	SH3354	SH3554	SH3754	SH3954	SH4154	SH4354	SH4554	SH4754	SH5154	
SH2360	SH2560	SH2760	SH2960	SH3160	SH3360	SH3560	SH3760	SH3960	SH4160	SH4360	SH4560	SH4760	SH5160	
SH2366	SH2566	SH2766	SH2966	SH3166	SH3366	SH3566	SH3766	SH3966	SH4166	SH4366	SH4566	SH4766	SH5166	
SH2372	SH2572	SH2772	SH2972	SH3172	SH3372	SH3572	SH3772	SH3972	SH4172	SH4372	SH4572	SH4772	SH5172	
SH2378	SH2578	SH2778	SH2978	SH3178	SH3378	SH3578	SH3778	SH3978	SH4178	SH4378	SH4578	SH4778	SH5178	
SH2384	SH2584	SH2784	SH2984	SH3184	SH3384	SH3584	SH3784	SH3984	SH4184	SH4384	SH4584	SH4784	SH5184	
SH2390	SH2590	SH2790	SH2990	SH3190	SH3390	SH3590	SH3790	SH3990	SH4190	SH4390	SH4590	SH4790	SH5190	
SH2396	SH2596	SH2796	SH2996	SH3196	SH3396	SH3596	SH3796	SH3996	SH4196	SH4396	SH4596	SH4796	SH5196	
SH2402	SH2602	SH2802	SH3002	SH3202	SH3402	SH3602	SH3802	SH4002	SH4202	SH4402	SH4602	SH4802	SH5202	
SH2408	SH2608	SH2808	SH3008	SH3208	SH3408	SH3608	SH3808	SH4008	SH4208	SH4408	SH4608	SH4808	SH5208	
SH2414	SH2614	SH2814	SH3014	SH3214	SH3414	SH3614	SH3814	SH4014	SH4214	SH4414	SH4614	SH4814	SH5214	
SH2420	SH2620	SH2820	SH3020	SH3220	SH3420	SH3620	SH3820	SH4020	SH4220	SH4420	SH4620	SH4820	SH5220	
SH2426	SH2626	SH2826	SH3026	SH3226	SH3426	SH3626	SH3826	SH4026	SH4226	SH4426	SH4626	SH4826	SH5226	
SH2432	SH2632	SH2832	SH3032	SH3232	SH3432	SH3632	SH3832	SH4032	SH4232	SH4432	SH4632	SH4832	SH5232	
SH2438	SH2638	SH2838	SH3038	SH3238	SH3438	SH3638	SH3838	SH4038	SH4238	SH4438	SH4638	SH4838	SH5238	
SH2444	SH2644	SH2844	SH3044	SH3244	SH3444	SH3644	SH3844	SH4044	SH4244	SH4444	SH4644	SH4844	SH5244	
SH2450	SH2650	SH2850	SH3050	SH3250	SH3450	SH3650	SH3850	SH4050	SH4250	SH44				


Standard Sizes

DOUBLE HUNG

Rough Opening	20"	22"	24"	26"	28"	30"	32"	34"	36"	38"	40"	42"	44"	48"
Unit Size	19 1/2"	21 1/2"	23 1/2"	25 1/2"	27 1/2"	29 1/2"	31 1/2"	33 1/2"	35 1/2"	37 1/2"	39 1/2"	41 1/2"	43 1/2"	47 1/2"
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														
														

Standard Sizes


TWIN CASEMENT

Rough Opening	35 1/16"	39 1/16"	47 1/16"	55 1/16"	59 1/16"	71 1/16"
Unit Size	35 1/16"	39 1/16"	47 1/16"	55 1/16"	59 1/16"	71 1/16"
	TWIN CASEMENTS					
CA1824-2	CA2024-2	CA2424-2	CA2824-2	CA3024-2	CA3624-2	
CA1836-2	CA2036-2	CA2436-2	CA2836-2	CA3036-2	CA3636-2	
CA1842-2	CA2042-2	CA2442-2	CA2842-2	CA3042-2	CA3642-2	
CA1848-2	CA2048-2	CA2448-2	CA2848-2	CA3048-2	CA3648-2	
CA1854-2	CA2054-2	CA2454-2	CA2854-2	CA3054-2	CA3654-2	
CA1860-2	CA2060-2	CA2460-2	CA2860-2	CA3060-2	CA3660-2	
CA1866-2	CA2066-2	CA2466-2	CA2866-2	CA3066-2	CA3666-2	
CA1872-2	CA2072-2	CA2472-2	CA2872-2	CA3072-2	CA3672-2	

Custom Sizes Also Available

Standard Sizes












































TRIPLE CASEMENT


Rough Opening	53 1/8"	59 1/8"	71 1/8"	83 1/8"	89 1/8"	107 1/8"
Unit Size	52 3/8"	58 3/8"	70 3/8"	82 3/8"	88 3/8"	106 3/8"
	TRIPLE CASEMENT					
CA1824-3	CA2024-3	CA2424-3	CA2824-3	CA3024-3	CA3624-3	
CA1836-3	CA2036-3	CA2436-3	CA2836-3	CA3036-3	CA3636-3	
CA1842-3	CA2042-3	CA2442-3	CA2842-3	CA3042-3	CA3642-3	
CA1848-3	CA2048-3	CA2448-3	CA2848-3	CA3048-3	CA3648-3	
CA1854-3	CA2054-3	CA2454-3	CA2854-3	CA3054-3	CA3654-3	
CA1860-3	CA2060-3	CA2460-3	CA2860-3	CA3060-3	CA3660-3	
CA1866-3	CA2066-3	CA2466-3	CA2866-3	CA3066-3	CA3666-3	
CA1872-3	CA2072-3	CA2472-3	CA2872-3	CA3072-3	CA3672-3	


Custom Sizes Also Available


Standard Sizes


AWNING

Rough Opening	24"	30"	36"	42"	48"	54"	60"
Unit Size	23 1/2"	29 1/2"	35 1/2"	41 1/2"	47 1/2"	53 1/2"	59 1/2"
							
							
							
							
							
							




































Custom Sizes Also Available


Standard Sizes

HORIZONTAL SLIDER


Rough Opening	24"	36"	48"	60"	72"
Unit Size	23 1/2"	35 1/2"	47 1/2"	59 1/2"	71 1/2"
					
					
					
					
					


SINGLE SLIDER





DOUBLE SLIDER





















Custom Sizes Also Available

Standard Sizes












































































HORIZONTAL SLIDER

Rough Opening	72"	84"	96"	108"	120"
Unit Size	71½"	83½"	95½"	107½"	119½"
 <p>3 LINE END VENT HORIZONTAL SLIDER</p>	 HP7236	 HP8436	 HP9636	 HP10836	 HP12036
	 HP7248	 HP8448	 HP9648	 HP10848	 HP12048
	 HP7260	 HP8460	 HP9660	 HP10860	 HP12060

Custom Sizes Also Available

Standard Sizes

FIXED


Rough Opening	40"	44"	48"	52"	56"	60"	64"	68"	72"
Unit Size	39½"	43½"	47½"	51½"	55½"	59½"	63½"	67½"	71½"
 <p>FIXED PICTURE WINDOW</p>	 PW4036	 PW4436	 PW4836	 PW5236	 PW5636	 PW6036	 PW6436	 PW6836	 PW7236
	 PW4042	 PW4442	 PW4842	 PW5242	 PW5642	 PW6042	 PW6442	 PW6842	 PW7242
	 PW4048	 PW4448	 PW4848	 PW5248	 PW5648	 PW6048	 PW6448	 PW6848	 PW7248
	 PW4054	 PW4454	 PW4854	 PW5254	 PW5654	 PW6054	 PW6454	 PW6854	 PW7254
	 PW4057	 PW4457	 PW4857	 PW5257	 PW5657	 PW6057	 PW6457	 PW6857	 PW7257
	 PW4060	 PW4460	 PW4860	 PW5260	 PW5660	 PW6060	 PW6460	 PW6860	 PW7260
	 PW4066	 PW4466	 PW4866	 PW5266	 PW5666	 PW6066	 PW6466	 PW6866	 PW7266
	 PW4072	 PW4472	 PW4872	 PW5272	 PW5672	 PW6072	 PW6472	 PW6872	 PW7272
									
	 <p> With J-Channel J-Channel Filler 1 1/2" x 1/4" Drywall Return 3/4" Drywall Return Extension Jack </p>								

Custom Sizes Also Available


Standard Sizes


TRANSOM

Rough Opening	28"	32"	36"	40"	44"	48"	56"	64"	72"	96"	108"	110"
Unit Size	27 1/2"	31 1/2"	35 1/2"	39 1/2"	43 1/2"	47 1/2"	55 1/2"	63 1/2"	71 1/2"	95 1/2"	107 1/2"	109 1/2"




TRANSOMS






14"
18"
24"
13 1/2"
17 1/2"
23 1/2"


TR2814	TR3214	TR3614	TR4014	TR4414	TR4814	TR5614	TR6414	TR7214	TR9614	TR10814	TR11014
TR2818	TR3218	TR3618	TR4018	TR4418	TR4818	TR5618	TR6418	TR7218			
TR2824	TR3224	TR3624	TR4024	TR4424	TR4824	TR5624	TR6424	TR7224			




With J-Channel




3/4" Drywall Return




With J-Channel




J-Channel Filler



1/2"-5/8" Drywall Return



3/4" Drywall Return




Extension Jamb

Custom Sizes Also Available

Standard Sizes


PATIO DOOR

Rough Opening	60"	72"	96"
Unit Size	59.5"	71.5"	95.5"




PATIO DOORS


Two Panel




SWPD5068




SWPD6068




SWPD8068




SWPD50611




SWPD60611




SWPD80611



SWPD5080




SWPD6080




80"
82.5"
82"
96"
95.5"


Rough Opening	89.25"	107.25"
Unit Size	88.75"	106.75"




Three Panel




SWPD7668




SWPD9068



SWPD76611




SWPD90611




80"
82.5"
82"


Rough Opening	116.375"	140.375"
Unit Size	115.875"	139.875"




Four Panel




SWPD10068




SWPD12068



SWPD100611




SWPD120611




80"
82.5"
79.5"
82"

Custom Sizes Also Available




SHAPES

Elliptical




Size	Dimensions
EL7220	71½" x 19½"
EL6018	59½" x 17½"

Octagon




Size	Dimensions
OTG2424	23½" x 23½"
OTG3232	31½" x 31½"
OTG3636	35½" x 35½"
OTG4848	47½" x 47½"

Oval







Size	Dimensions
OV3046	29½" x 45½"
OV3656	35½" x 55½"

Circle



Size	Dimensions
CI3030	29½" x 29½"
CI3636	35½" x 35½"




Half-Round



Size	Dimensions
HRD3819	37½" x 18¾"
HRD4020	39½" x 19¾"
HRD6834	67½" x 33¾"
HRD7236	71½" x 35¾"

[^]This pattern is available in widths larger than 56 inches.

Quarter-Round



Size	Dimensions
Standard sizes are not listed for Quarter-Rounds. A variety of custom sizes are available.	

Custom Sizes and Other Shapes Also Available



Where History Meets Style

VERSATILITY | VAST CUSTOMIZATION | HISTORICAL ACCURACY

